

Vakuumpumpe Typ DC12/80LC

Vacuum Pump Model DC12/80LC



DC12/80LC





Tabelle table	Spannung voltage V	Strom current				Volumenstrom flow l/min	Vakuum Vacuum -mbar	Druck Pressure +mbar	Gewicht weight	
		IN A	I min. A	I max. A	I max. A				N	kg
Typ/Model: DC12/80LC Art.-Nr./art. no.: 15980	12	6,4	2,2	4,0	[6,0]	9,0	800	[1100]	4,9	0,49
	9		1,7	3,7	[4,7]	7,0	740	[950]		
	6		1,2	3,0	[3,4]	4,5	590	[680]		

Vakuumpumpen DC../50-90..

Vacuum Pumps Model DC../50-90..




DC12/50L
DC24/50L



DC12/80L
DC24/90L




DC12/80SL
DC24/90SL



Maße, siehe Tabelle Seite 14+15
Measures, see tabel page 14+15



CE	Tabelle table	Spannung voltage V	Strom current				Volumenstrom flow l/min	Vakuum Vacuum -mbar	Druck Pressure +mbar	Maß Measure mm					Gewicht weight kg [N]
			IN A	I min. A	I max. A	I max. A				D	d	L	L1	L2	
Typ/Model: DC12/50L Art.-Nr./art. no.: 15951		12	1,85	1,0	1,9	[4,0]	6,5	800	[1300]	50	42	106	20,5	72	0,65 [6,5]
		9		0,8	1,8	[3,1]	5,0	760	[1000]						
		6		0,6	1,6	[2,1]	3,0	630	[650]						
Typ/Model: DC12/80L Art.-Nr./art. no.: 15982		12		1,3	2,6	[4,2]	9,0	780	[970]						
		9		1,0	2,4	[3,3]	7,0	690	[710]						
		6		0,8	1,9	[2,2]	5,0	500	[560]						
Typ/Model: DC12/90L Art.-Nr./art. no.: 15987		12		1,7	3,2	[4,5]	11,5	800	[1020]						
		9		1,4	2,8	[3,5]	8,5	700	[725]						
		6		0,9	2,2	[2,3]	5,5	510	[450]						
Typ/Model: DC12/80SL Art.-Nr./art. no.: 15989		12	1,4	2,8	[6,4]	10,0	800	[1500]	132	85	23,5			0,78 [7,8]	
		9	1,1	2,6	[4,9]	8,0	780	[1100]							
		6	0,8	2,3	[3,1]	5,3	650	[870]							
Typ/Model: DC12/90SL Art.-Nr./art. no.: 15988		12	1,5	3,2	[5,0]	12,0	800	[1000]							
		9	1,4	2,9	[4,9]	9,5	730	[1000]							
		6	0,8	2,5	[3,3]	6,5	600	[650]							





CE	Tabelle table	Spannung voltage V	Strom current				Volumenstrom flow l/min	Vakuum Vacuum -mbar	Druck Pressure +mbar	Maß Measure mm					Gewicht weight kg [N]				
			IN A	I min. A	I max. A	I max. A				D	d	L	L1	L2					
Typ/Model: DC24/50L Art.-Nr./art. no.: 16952		24	0,86	0,4	0,9	[2,0]	6,5	780	[1200]	50	42	106	20,5	72	0,65 [6,5]				
		15		0,3	0,7	[1,4]	4,0	725	[800]										
		9		0,2	0,6	[0,7]	2,0	500	[570]										
Typ/Model: DC24/80L Art.-Nr./art. no.: 16984		24		0,6	1,1	[2,2]	9,0	780	[1350]			50	42	109	23,5	72	0,67 [6,7]		
		12		0,4	0,9	[1,1]	5,0	600	[700]										
		6		0,2	0,5	[0,5]	2,0	290	[290]										
Typ/Model: DC24/90L Art.-Nr./art. no.: 16982		24		0,7	1,4	[2,3]	11,5	820	[1050]					50	42	109	23,5	72	0,67 [6,7]
		12		0,4	1,1	[1,2]	6,0	600	[250]										
		6		0,2	0,6	[0,7]	2,8	270	[140]										
Typ/Model: DC24/80SL Art.-Nr./art. no.: 16991		24	0,7	1,3	[2,7]	9,0	800	[1250]	50	42	132					85	72	0,78 [7,8]	
		12	0,4	0,9	[2,7]	4,5	550	[760]											
		6	0,3	0,6	[0,6]	2,0	280	[230]											
Typ/Model: DC24/90SL Art.-Nr./art. no.: 16987		24	0,6	1,2	[1,3]	11	800	[820]			50	42	132			85	72	0,78 [7,8]	
		12	0,3	1,0	[1,4]	5,5	600	[650]											
		6	0,2	0,6	[0,6]	3,0	250	[250]											

