

SCENTROID 

Future of Sensory Technology

DYSTRYBUTOR

Atut Sp. z o.o., 20-064 Lublin, ul. Prusa 8

tel./fax: +48 817403345

Email: info@atut.lublin.pl

www.atut.lublin.pl

FOLLOW US



SCENTROID

431 Alden Road. #3
Markham, ON, L3R 4C1

CONTACT US

T: 416.479.0078
FAX: 416.907.8252

WEB AND EMAIL

Email: info@scentroid.com
www.scentroid.com

Who We Are

Corporate Overview, Scentroid Mission & Vision

Pages

3

Scentroid Products

Olfactometers

SM100 Infield Olfactometer, SM100i Intelligent Olfactometer

4

SC300 Portable Olfactometer, SC300P Scientific Olfactometer

5

SS600 Laboratory Olfactometer

6

SS400 Portable 6 Station Olfactometer

7

Sampling Equipment

DR1000 Flying Laboratory Drone, Stack Diluting Sampler

8

Static Hood, Wind Tunnel

9

Flux Chamber, Vacuum Chamber

10

Scentinal Compact Air Quality Monitoring Station

11

Lab Equipment, Chemical Analyzer

N-Butanol Sensitivity Kit, Heated Purger, Oxidisation Purger

12

Pollutracker, OdoTracker

13

Bags, Odour Software

Sampling Bags, TOMS

14

Scentroid Services

Services Overview

15

Emission Inventory and Impact Assessment

16

Environmental Odour Impact Assessment

18

Air Quality and Ambient Monitoring

19

Leak Detection and Repair Program

20

Occupational Exposure Assessment

21

Scentroid Odour Academy

Odour Academy

22

Scentroid Distributors and Conferences

Scentroid Selected Customer /Partners and Conferences

23

Corporate Overview

Scentroid is the world leader in air pollution and odour measurement equipment and services. Based in Toronto, Canada, we export to over 45 countries around the world.

We are the world's premier manufacturer of odour sampling and analysis equipment. With decades of experience developing state-of-the-art instrumentation for environment, nuclear, and medical industries, we bring new and innovative technologies to the field of odour measurement. Our clients include government agencies, environmental laboratories, research institutions, and industries dealing with odour nuisances.

Our Mission and Vision

Our mission is to empower our clients with vast in-depth knowledge, state-of-the-art instruments, and the most extensive customer support. To this end, we strive in every aspect of our operation to put our client first and to use our research expertise to develop the most innovative and effective products and services in the sensory industry. We envision a future where environmental impacts will be easily and accurately measured and mitigated. "Scentroid's vision is to make this future of sensory technology a reality, through innovation and creativity.



SCENTROID

431 Alden Road. #3
Markham, ON, L3R 4C1

CONTACT US

T: 416.479.0078
Fax: 416.907.8252

WEB AND EMAIL

Email: info@scentroid.com
www.scentroid.com


FOLLOW US



SM100 Infield Olfactometer



The SM100 is the world's most advanced personal olfactometer. This odour measurement apparatus allows users to accurately quantify odour concentration of ambient air and source samples. This revolutionary odour measurement device offers an easy-to-use and cost effective alternative to guessing at odour strength or using expensive odour measuring laboratories.




SM100 is the most cost effective method of obtaining accurate and reliable odour concentration measurements. With practically no cost per sample, the user can perform more measurements for routine monitoring, trending, optimization, and complaint follow up.

SM100i Intelligent Olfactometer



The Scentroid SM100i, represents the next evolution in personal olfactometry. This automated olfactometer can conduct full odour analysis including YES/NO and Hedonic Tone test modes in full accordance to the international EN13725 standard. The SM100i can analyze from a sample bag or be deployed in the field for direct olfactometry and ambient odour measurement.



The SM100i, Intelligent Personal Olfactometer takes out the guess work from personal olfactometry. This olfactometer will automatically screen panelists and conduct YES/NO test mode to determine accurate odour concentration and hedonic tone.

SC300 Portable Olfactometer




The Scentroid SC300 is the world's most advanced mobile olfactometer. It is capable of odour measurement and analysis to all international olfactometry standards: EN13725:2003, ASTM E04-679, NVN2820, VDI 3881, GB/T93-14675. Best of all, it can be transported to site and deployed in minutes for a complete accredited olfactometric laboratory.



Built into two rugged waterproof Pelican® cases weighing less than 20 Kg each for ease of transportation via commercial airliners. Designed to be waterproof & shockproof to Military Standards MIL C4150-J & Def Stan41-81.

SC300-P Scientific Olfactometer with EEG Capabilities



The Scentroid SC300-P (Scientific Olfactometer) is a specialized multi-sensory olfactometer with EEG and FNIR capabilities for advance psychological and physiological research and treatment. The SC300-P has been used by researchers and doctors to research and treat a variety of disorders including Post Traumatic Stress Disorder.



The Scentroid SC300-P is loaded with a variety of physiological and psychological test modes such as olfactory/audio psychological evaluation where pulses of odour and visual stimuli are presented in fixed or randomly determined intervals. Other test modes can be easily programmed by the user through the graphical interface.

SS600 Laboratory Olfactometer



The Scentroid SS600 is the world's most advanced stationary, dynamic, and fully automated olfactometer. It is capable of odour measurement and analysis to all international olfactometry standards: EN13725:2003, ASTM E04-679, NVN2820, VDI 3881, GB/T93-14675, AS 4323.3

The Scentroid SS600 is industry's first olfactometer that uses high-accuracy Mass Flow Controllers to monitor and adjust both the sample air and the clean diluting air, ensuring accurate dilution ratio regardless of variations in ambient pressure or temperature.



SS400 - Portable 6 Station Olfactometer




Scentroid SS400 olfactometer is an advance mobile 6 station portable olfactometer. The Six Station Portable Olfactometer SS400 is used to assess odour concentration from a sample using 2 presentation modes (Binary or Yes/No) by fulfilling the requirements of the EN13725 and VDI 3881 standards




The Scentroid SS400 olfactometer uses the latest technologies to deliver absolute precision & functionality. Users can perform olfactometry analysis to EN13725 & VDI 3881 with Binary, Yes/No, and Hedonic test methods.

Laboratory Information Management Software (LIMS)



The Scentroid SS400 Six Station Portable Olfactometer seamlessly integrates with Scentroid’s laboratory information management software (LIMS) for complete automated panelist screening, sample tracking, analysis reporting, and other routine operations.



LIMS and SS400 Six Station Portable Olfactometer are designed to make the process of acquiring ISO17025 certification easy and straight forward

DR1000 Flying Laboratory Drone



The Scintroid DR1000 consists of a flying laboratory and a commercial drone. The DR1000 can be used to sample and analyze ambient air at heights of up to 150 meters above ground level that was previously impossible to accomplish. Air quality mapping, model verification, analysis of potentially dangerous sites are all made possible by this novel innovation.



DR1000 will come with simultaneous GPRS and WIFI communication capabilities. The GPRS is used to send data to our new cloud server based Drone Information Management System (DRIMS). The secure online system will allow you to remotely monitor and even control the flying laboratory as well as store and process the data collected.

DS5 Stack Diluting Sampler



The Stack Sampler is an easy to use device that provides accurate pre-dilution of high temperature gas emissions with nitrogen or zero-air to minimize condensation inside the sample bag. Dilution is achieved inside the heated probe and can be controlled from 1:1 to 1:1300 in 12 steps.



With a backpack containing micro-nitrogen tank and simple one push operation the DS5 is the most reliable, fast, and easy to use diluting sampler ever created.

Static Hood



The Scentroid Static Hood Sampler provides an easy to use and contaminate-free solution for taking air samples from bio-filter beds and other surfaces that have a positive air flow. The all stainless steel construction ensures easy decontamination. The stack disassembles for ease of transportation.



The SH50 has been designed to meet all European, American, and Canadian sampling standards. Extensive CFD analysis ensures minimal back-pressure and sufficient turbulence before sampling.

SW60 Wind Tunnel



The Scentroid SW60 is the next generation Wind Tunnel Sampler (AKA Ventilated Sampling Hood), used for sampling on solid or liquid surfaces with passive odour emissions in accordance with the EN13725 and VDI3880. The SW60 Wind Tunnel Sampler offers a number of unique features that make it the most accurate and user friendly area source sampler in the world.



The SW60 Wind Tunnel Sampler uses a series of 15 fins to direct the air speed within the chamber ensuring complete uniform flow for the highest level of odour sampling accuracy.

Flux Chamber



The Scentroid Flux chamber (AKA Emission Isolation Flux Hood) is used to determine levels of emissions from solid or liquid surfaces. The SF450 has a 100% solid stainless steel construction to ensure zero cross contamination. Flotation is achieved using 4 stainless steel floats eliminating the need for rubber tubes or foam making the unit easy to clean and maintain.



The Flux Chamber designed for both solid and liquid surface sample collections. Four stainless steel fitting provided for sweep air (clean air), sample air, Relief flow, and temperature probe.

Vacuum Chamber



The Scentroid Vacuum Chambers are easy to use, portable, and cost-effective air sample collection devices. Vacuum chambers are used to pull samples directly without dilution from stack, ambient air, or other sampling devices such as flux chamber or wind tunnel. The Scentroid vacuum chambers are available in multiple sizes to fit bags of up to 10L, 25L and even 50L.




Use the Scentroid Vacuum Chambers for soil gas sampling, groundwater testing, stack sampling, hazmat testing, and U.S. EPA Methods 18 and 0040 and ventilation studies. Scentroid Vacuum Chambers, bag sampling box, Designed for Scentroid PTFE sample bags.

SL50 Scentinal



The Scentinal Ambient Air Monitoring Station provides high accuracy (ppb level) detection of odorous gases such as H₂S, NH₃, VOCs, SO₂ & odour concentration. The flexible intelligent sensor network allows live monitoring of plant odour emissions on Scentroid's cloud servers. The innovative design of Scentinal offers the most reliable and cost effective odour monitoring solution in the world.



The central monitoring station is hosted on a secure cloud based server allowing remote access via any internet based computer. The access is restricted and the data is encrypted for maximum security. Users are given a password and user name which will define their permission level.



SK5 N-butanol Sensitivity Kit



The Scentroid SK5 Sensitivity Kit is designed to provide accurate N-butanol mixtures of 5 to 50 ppm from a liquid N-butanol source. The N-butanol mixture can then be used to screen panelists using the Scentroid SM100 or any other Scentroid olfactometer in accordance to the EN13725 standard.




The Scentroid SK5 Sensitivity kit provides an easy and reliable solution for creating exact N-butanol samples that can be used for panelist screening. Liquid N-butanol is mixed with clean odorless air at a fixed ratio using a glass micro-syringe and a stainless steel evaporation chamber.

SP20 Heated Air Purger AND SP50 Oxidisation Purger



The Scentroid SP20 Heated Air Purger is a revolutionary device designed to provide an effective and reliable cleaning solution for olfactometers, sample bags, PTFE lines, and other equipment which may be contaminated with odours.



The Scentroid SP50 Oxidisation Purger is a revolutionary device designed to provide an effective and reliable cleaning solutions for olfactometers, sample bags, PTFE lines, and other equipments which may be contaminated with odours.

TR8+ Pollutracker



Scentroid Pollutracker TR+8 is a complete air quality mobile laboratory. This instrument allows the user to measure hundreds of chemicals using up to 10 sensors and analyzers including Photo-Ionization Detectors (PID) sensors, Non-dispersive Infrared (NDIR) sensors, Electrochemical and Metal Oxide sensors.



Pollutracker includes, Built-in "10" touchscreen interface, On device data logging and wireless transfer via email, Remote (internet based) firmware update, Built in sampling pump, Simultaneous data analysis of all gases, Built-in rechargeable battery, On-screen Calibration Procedure and External decontamination device.

TR8 OdoTracker



The Scentroid's OdoTracker is a wearable multi-sensor device that measures the concentrations of two chemicals in ambient air at the same time. Select from close to 50 chemicals for monitoring at the time of ordering. Data logging feature provides continuous chemical, GPS position, Temperature, and Humidity logging.




The OdoTracker can measure chemical composition of ambient air or sample stored in a PTFE, Tedlar or Nalophan bags. It can measure chemicals such as H₂S close to detection threshold at ppb level.


Sampling Bags



TOMS (Total Odour Management System)



The simple to use software uses field-olfactometry and live weather data to produce real time odour plumes showing you exactly the location and level of the odour emission at various locations through a dispersion model. Complaints are automatically logged and compared to odour emissions for fast and efficient validation.



TOMS offers a complete, integrated suite for odour management. The system provides a perfect integration of real-time odour impact estimation with management of odour complaints from neighboring residents.

Scentroid Services Overview



Leak Detection and Repair Program



Environmental Odour Impact



Emission Inventory



Occupational Exposure Evaluation



Air Quality and Ambient Monitoring




Abatement Technologies

Emission Inventory and Impact Assessment

Scentroid provides a complete emission inventory service including:



- Stack Testing
- Source Testing
- Fugitive Emission Measurement
- Air Dispersion Modeling
- Impact Assessment
- Flare Testing (Advance Drone Technologies)
- Complete Emission Inventory Reporting to US EPA standards



Emission Inventory and Impact Assessment

Scentroid is the only company in the world providing direct flare plume sampling:


- Scentroid's patented Air Sampling Drone can collect plume gases up to 125 meters above the ground.
- Samples can be brought down for analysis by a GC or odour laboratory.
- Capability for in-air analysis for Total VOCs, TRS, CO and other chemical elements.
- Can be used to model total impact of flaring.



Environmental Odour Impact Assessment

Scentroid is the world leader in assessment of odour impact to USA and European standards (EN13725).



- Unique approach developed based on odour patrol, reverse modeling, source testing & olfactometric analysis.
- Assessment of odour emission, dispersion and impact on community.
- On-site sampling and olfactometric analysis.
- Recommended solutions for odour impact reduction.



Air Quality and Ambient Monitoring

Scentroid provides a state-of-the-art air quality monitoring and complaint management system.

- Tailored to specific compounds detected during emission inventory or odour impact assessment.
- In field gas chromatography and electro chemical sensor based monitoring.
- Live dispersion monitoring and complaint management software.
- Automated reporting.




Leak Detection and Repair Program

In a refinery, roughly 40% of all odour related issues and pollutants stem from leaks. Scentroid provides LDAR as part of its odour and air pollution management program.

LDAR or Fugitive Emission Management based on US EPA Method 21:


1. LDAR Program Setup: mapping streams on P&ID's, database and LDAR software (LEAKDAS V4).
2. On-site Support: identification and monitoring of all potential leak sources, electronic and physical labelling of all leaks.
3. Use of Infrared cameras for identification of large leaks and portable gas detectors for detailed leak detection.
4. Emission report generation: QC analysis in software, generation of repair orders and writing of report.



Occupational Exposure Assessment

We provides the most comprehensive Occupational Exposure Assessment to US EPA and European standards:

- Hazard identification in the workplace through audits.
- Risk assessment of exposure to workplace.
- Fugitive Emission Measurement.
- Air Dispersion Modeling
- Impact Assessment
- Flare Testing (Advance Drone Technologies)
- Complete Emission Inventory Reporting to US EPA standards



Scentroid Odour Academy

The Scentroid Odour Academy is a specialized facility providing training and research in the field of odour sampling and analysis. Qualified instructors and industry experts provide not only in-depth hands-on training on using the Scentroid line of olfactometers but also share general sampling and odour measurement techniques from around the world.

Training Facility:

In addition to classroom courses at our Canadian Campus, courses can also be taken online using our e-learning platform. Students visiting our Canadian campus will gain real practical experience using our state of the art simulation room.

Trainers:

Our trainers are diverse geographically, living and working in different locales globally, multilingual, and proven expert communicators, with a professional track record in the skill and industry in which he or she teaches. Scentroid trainers are all approved professionals with a wealth of experience both as odour consultant and training providers. Many currently run their own consultancies or communications teams.

Certification:

Every student that successfully completes the odour academy will receive certification indicating their proficiency. Our certification programs range from field sampling technician to full odour consultant. For a list of certifications and courses visit our online odour academy at academy.scentroid.com



List Of Webinar:

#	Topic
1	Air Quality and Odour Monitoring using Drones
2	CALPUFF Modeling using Lakes Software
3	Air Quality Monitoring and Odour Assessment in Refineries
4	Health Hazards of Air Pollutant (HAP) in Petro-chemical Plants
5	Continuous Air Quality and Odour Monitoring Technologies
6	Air Quality Monitoring and Odour Assessment in WWTP
7	Air Quality Monitoring and Odour Assessment in Waste Management and Compost
8	AERMOD Modeling using Breeze Software
9	Air Quality Monitoring and Odour Assessment in Livestock Operations

List Of Courses:

#	Topic
1	Introduction to Odour Assessment, Mitigation, and Regulation
2	Sampling Methods & Techniques – Stack & Ambient
3	Effective Odour Control strategies
4	Odour Analysis using field olfactometry
5	Odour Reporting and evaluation
6	Odour Regulation and law
7	Effective Odour Complaint Management
8	Odour control options for waste-water treatment facilities
9	Odour Control Options for Organic Waste and Compost Facilities

Scentroid Distributors/Partners and Conferences

Distributors

With distributors around the world we've got the right people in the right place to help you. Scentroid's line of olfactometers and accessories are supported by our specialized team of distributors in over 15 countries and 5 continents. Contact Scentroid to find the distributor that supports your market or submit your request through the Scentroid website at www.scentroid.com and we will put you in contact with the distributor in your area.

Conferences:

The Odour Management Conference and Technology Showcase OMCTS conference series has established itself as the principal international conference on environmental odour assessment, mitigation and regulation. Each year 2 conferences will be held around the world to bring new ideas and technologies to the field of environmental odour management. Our 2015 odour conferences:

Title: OMCTS (Odour Management Conference & Technology Showcase)
 Date: September 14-15, 2015
 Attendees: 250
 Venue: Ontario Science Centre

Title: Middle East Odour Conference United Arab Emirates, Ajman
 Date: May 10, 2015
 Attendees: 200
 Venue: Ajman, Al Zorah Centre



SCENTROID

➤ **DYSTRYBUTOR**

Atut Sp. z o.o., 20-064 Lublin, ul. Prusa 8
tel./fax: +48 817403345

Email: info@atut.lublin.pl
www.atut.lublin.pl

Division of IDES CANADA INC.

SCENTROID

431 Alden Road. #3
Markham, ON, L3R 4C1

CONTACT US

T: 416.479.0078
FAX: 416.907.8252

WEB AND EMAIL

Email: info@scentroid.com
www.scentroid.com

FOLLOW US



SCENTROID 
Future of Sensory Technology